
LECTURE 1

INTRO & NUMBER SYSTEMS

MCS 260 Fall 2020 Emily Dumas


ZOOM 101

Scale the slides to your zoom window



Z00M 102

You can raise your hand to request attention



MCS 260: INTRO TO COMPUTER SCIENCE

- Instructor: Prof. Emily Dumas 〈ddumas@uic.edu〉
- TA: Jennifer Vaccaro (jvacca4@uic.edu)
- TA: David (Hai) Wang \(\text{hwang202@uic.edu} \)

IMMEDIATE ACTION ITEMS

- Read the syllabus
 (Yes, the entire thing. Yes, it is boring.)
- Check the blackboard course site regularly.

PYTHON

Python is a computer programming language.

- #3 most popular programming language in TIOBE
- Extensive use at Dropbox, Instagram, Netflix, ...
- #1 most popular (by far) in a 2018 survey of data science / machine learning professionals (source)

Learning Python (version 3.6 or higher) is a key focus of MCS 260.

Most of our discussion of general computer science concepts will be based on the way they are seen and used in Python.


PYTHON VERSIONS

In this course we only use Python 3.

The transition from Python 2 to Python 3 was a major milestone, with incompatible changes.

Python 2 support ended in January 1, 2020.

LIVE DEMO TIME



Excerpt of xkcd by Randall Munroe CC-BY-NC-2.5

NUMBER SYSTEMS

Humans usually use the **decimal** number system, also known as **base** 10.

In this system there is a $10^0=1\mathrm{s}$ place, a $10^1=10\mathrm{s}$ place, a $10^2=100\mathrm{s}$ place, etc.

There are 10 digits with values $0, 1, \ldots, 9$.

In decimal, 312 means:

$$312 = 3 \times 10^2 + 1 \times 10^1 + 2 \times 10^0$$

For any whole number b>1 there is a number system called base b where the place values are b^0 , b^1 , b^2 , etc.

In base b there are b digits with values $0, 1, \ldots, b-1$.

In mathematics, it is common to use a subscript to indicate the base.

So 201_5 means the base 5 number with digits 2, 0, 1.

 201_5 is equal to the decimal number 51:

$$egin{aligned} 201_5 &= 2 imes 5^2 + 0 imes 5^1 + 1 imes 5^0 \ &= 2 imes 25 + 1 imes 1 = \boxed{51} \end{aligned}$$

In computer science, three non-decimal number systems are often encountered.

- \bullet Binary, or base 2.
- Hexadecimal, or base 16.
- Octal, or base 8. (Least common.)

BINARY

The digits are 0 and 1. A binary digit is called a **bit**.

The place values are 1, 2, 4, 8, 16, etc.

Example: 1001_2 means

$$1 \times 8 + 0 \times 4 + 0 \times 2 + 1 \times 1 = 9$$

In Python, binary numbers are indicated by preceding the digits with **0b**.

So the previous example would be written 0b1001.

We can convert to binary using integer division and remainder.

Integer division

 $x/\!/2$ means x divided by 2, discarding the remainer. e.g. $7/\!/2=3,~6/\!/2=3.$

Remainder


 $x \ \ 2$ means the remainder when x is divded by 2.

$$7\%2 = 1,6\%2 = 0.$$

To convert a number to binary, just keep track of the remainders when you repeatedly integer-divide by 2.

| x | $x/\!/2$ | x%2 |
|----------------|----------|-----|
| 312 | 156 | 0 |
| 156 | 78 | 0 |
| 78 | 39 | 0 |
| 39 | 19 | 1 |
| 19 | 9 | 1 |
| 9 | 4 | 1 |
| 4 | 2 | 0 |
| $\overline{2}$ | 1 | 0 |
| 1 | 0 | 1 |

So 312 = 0b100111000, i.e. 312 = 256 + 32 + 16 + 8.



Binary is not ideal for human consumption because of its low information density.

e.g. 9754 = 0b10011000011010.

Hexadecimal addresses this, giving a more condensed way of expressing a sequence of bits.

HEXADECIMAL

Hexadecimal or hex is a condensed representation of binary, with one symbol for each 4-bit block.

Each 4-bit block is just a number between 0b0000 = 0 and 0b1111 = 15. We use hex digits $0 \dots 9, A \dots F$:

| Digit | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|----------------|------|------|---------|---------|---------|---------|---------|---------|
| Value | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Bit block | 0000 | 0001 | 0010 | 0011 | 0100 | 0101 | 0110 | 0111 |
| | | | | | | | | |
| Digit | 8 | 9 | Α | В | С | D | Е | F |
| Digit Value | 8 | 9 | A 10 | B 11 | C 12 | D 13 | E 14 | F 15 |

HEXADECIMAL

Hexadecimal or hex is a condensed representation of binary, with one symbol for each 4-bit block.

Each 4-bit block is just a number between 0b0000 = 0 and 0b1111 = 15. We use hex digits $0 \dots 9, A \dots F$:

| Digit | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|----------------|------|------|---------|---------|---------|---------|---------|---------|
| Value | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Bit block | 0000 | 0001 | 0010 | 0011 | 0100 | 0101 | 0110 | 0111 |
| | | | | | | | | |
| Digit | 8 | 9 | Α | В | С | | Е | F |
| Digit Value | 8 | 9 | A 10 | B 11 | C 12 | D 13 | E 14 | F 15 |

In Python notation, hexadecimal numbers begin with 0x, followed by the digits.

So 0x3e means

Hexadecimal is also base 16. Another way to see 0x3e:

Ox3e
$$=$$
 3 $imes$ 16^1 + e $imes$ 16^0 $=$ 3 $imes$ 16 + 14 $imes$ 1 $=$ 62

Aside: In decimal we sometimes separate groups of digits with punctuation for easier reading.

e.g. in the USA one million is often written "1,000,000".

In Python notation the underscore "_" can be used as a separator.

When converting binary to hex, the number of bits may not be a multiple of 4 at first. In this case we need to add some zeros on the left:

 $0b10101 = 0b00010101 = 0b0001_0101 = 0x15$

To convert a decimal number to hex, one way is to convert to binary and group bits.

An alternative is to repeatedly integer-divide by 16 and use the remainders:

| x | $x/\!/16$ | x%16 |
|----|-----------|------|
| 62 | 3 | 14 |
| 3 | 0 | 3 |

Therefore 62 = 0x3e

OCTAL

Octal or base 8 is similar but we divide a binary number into blocks of 3 bits, to using $0, \ldots, 7$ to represent blocks of 3 bits.

In Python notation, octal numbers begin with 0o followed by the digits.

(That's numeral zero followed by lower case letter o.)

Example: $00775 = 0b111_111_101 = 509$

Octal is most commonly seen when setting file permissions on unix/Linux, where 9 bits are naturally divided into 3 groups of 3.

e.g.

chmod 600 secrets.dat

REFERENCES

- The first steps in working with Python are covered in Section 1.2 of *Downey*.
- Binary and hexadecimal are covered in Section 1.1 of Brookshear & Brylow.

ACKNOWLEDGEMENTS

• Some of today's lecture was based on teaching materials developed for MCS 260 by Jan Verschelde.

REVISION HISTORY

- 2020-08-24 Corrected typo in octal example
- 2020-08-23 Initial publication

