

LECTURE 6

CONDITIONALS & BOOLEAN ALGEBRA

MCS 260 Fall 2020

Emily Dumas

REMINDERS

- No class Monday (Labor day)
- Quiz 2 due 6pm central on Tue Sep 8
- Project 1 description will be posted today
 - Project 1 due Fri Sep 18

A TRICKY LIST

What do you expect this code to do?

Will it produce an error?

```
L = ["a", "b", "c"]  
L[0] = L  
print(L)
```

CONDITIONALS

You can indicate that a section of code should only execute if certain conditions are met.

Syntax:

```
if condition:  
    statement  
    statement  
    ...  
statement that runs regardless of the condition
```

Indenting statements below `if` by the same amount makes them a **code block**. The block ends when a line is vertically aligned with `if`.

In many other languages, special symbols are used to indicate the start and end of a block, and indenting is ignored.

{ and } are common choices.

Python uses indenting as a substitute for block start / block end symbols.

```
n = int(input("How many penguins live with you? "))
if n > 150:
    print("That's quite a crowd!")
print("Thank you for completing the penguin census.")
```

This example uses four spaces to indent. That is the recommended (and most popular) number.

SPACES VS TABS

The code point U+0009 is "CHARACTER TABULATION", better known as "tab".

Python *allows* this character to be used for indenting, but recommends against it, and *forbids* mixing spaces and tabs.

Depending on your editor, pressing the Tab key may:

- Insert a fixed number of spaces
- Insert a context-dependent number of spaces
- Insert U+0009

Recommendation for Python coding:

Configure your editor to never insert `U+0009`.

This is often the default behavior.

CONDITIONS

Python supports a lot of conditions (tests) that can appear in an `if` statement, e.g. comparison operators:

`>` is greater than

`<` is less than

`==` is equal to

note two equal signs!

`!=` is not equal to

`>=` is greater than or equal to

`<=` is less than or equal to

ELSE

An `if` statement can be followed by `else:` and a code block to be executed if the condition is `False`.

```
if x == 100:  
    print("x is equal to 100")  
else:  
    print("x is NOT equal to 100")
```

This is useful for handling dichotomies.

ELIF

An `if` statement can also be followed by `elif` (for "else if"), which begins a new conditional.

```
if x == 100:
    print("x is equal to 100")
elif x % 4 == 0:
    print("x is a multiple of 4, but is not equal to 100")
elif x % 2 == 0:
    print("x is even, but is not a multiple of 4")
else:
    print("x is odd")
```

A chain of `if/elif/elif/...` is the typical way to compare a variable to multiple values or categories.

Example: quadroots.py

```
# Determine the number of real roots of a quadratic polynomial
# MCS 260 Fall 2020 Lecture 6 - Emily Dumas
print("Enter the coefficients a,b,c of ax^2+bx+c, one per line.")
a = float(input())
b = float(input())
c = float(input())

print("You entered:",a,"x^2 +",b,"x +",c)

discriminant = b**2 - 4*a*c

if discriminant > 0:
    print("This polynomial has two real roots.")
elif discriminant == 0:
    print("This polynomial has exactly one real root.")
else:
    # Now we know discriminant < 0
    print("This polynomial doesn't have any real roots.")
```

MORE CONDITIONS

x in seq

Sequence *seq* contains an item equal to *x*

x not in seq

(negation of above)

*cond*₀ and *cond*₁

Both *cond*₀ and *cond*₁ are True.

*cond*₀ or *cond*₁

At least one of *cond*₀ and *cond*₁ is True.

not *cond*

cond is False.

PRECEDENCE

Comparison operators all have lower precedence than arithmetic, so e.g. $5*5 > 30-10$ evaluates as True. The order is:

1. Arithmetic (PEMDAS)
2. $>$, $>=$, $<$, $<=$
3. $==$, $!=$
4. `in`, `not in`
5. `and`, `or`, `not`

BOOL

`bool`, for "boolean", is a type that has only two possible values, `True` and `False`.

Conditions in `if` or `elif` actually evaluate as `bools`, and you can have `bool` variables, too.

```
everything_will_be_ok = True
missed_quiz_deadline = False
x = 1 < 2      # x is now True
y = 3 > 4      # y is now False
if x and not y:
    print("Good news: math is not broken.")
```


BOOLEAN ALGEBRA

Booleans are also considered in math / theoretical CS.

Different symbols are often used for boolean operators:

| | | |
|--------------|-------|-------------|
| $x \wedge y$ | means | x and y |
| <hr/> | | |
| $x \vee y$ | means | x or y |
| <hr/> | | |
| $\neg x$ | means | not x |

In addition, \bar{x} or $!x$ are sometimes used for $\neg x$.

The operators \wedge and \vee are commutative and associative. They obey algebraic rules such as:

- $\neg(\neg x) = x$
- $x \vee x = x$ and $x \wedge x = x$
- $x \vee (\neg x) = \mathbf{True}$, $x \wedge (\neg x) = \mathbf{False}$
- $x \vee \mathbf{True} = \mathbf{True}$, $x \vee \mathbf{False} = x$,
 $x \wedge \mathbf{False} = \mathbf{False}$, $x \wedge \mathbf{True} = x$.
- Distributive law:
$$x \wedge (y \vee z) = (x \wedge y) \vee (x \wedge z)$$
- DeMorgan's law:
$$\neg(x \wedge y) = (\neg x) \vee (\neg y),$$
$$\neg(x \vee y) = (\neg x) \wedge (\neg y)$$

Once you decode what these rules are saying, all but the named ones will probably become obvious.

If I ever ask you to perform boolean algebra simplification, I will provide this list.

These rules can be used to simplify boolean expressions, e.g.

x and not (x and y)

$\rightarrow x \wedge \neg(x \wedge y)$ Math notation

$\rightarrow x \wedge ((\neg x) \vee (\neg y))$ DeMorgan

$\rightarrow (x \wedge (\neg x)) \vee (x \wedge (\neg y))$ Distributive

$\rightarrow \mathbf{False} \vee (x \wedge (\neg y))$

$\rightarrow x \wedge (\neg y)$

$\rightarrow x$ and not y

BACK TO THE TRICKY LIST

What do you expect this code to do?

Will it produce an error?


```
L = ["a", "b", "c"]  
L[0] = L  
print(L)
```

Answer: No error. A list in Python can contain itself.


```
>>> L = ["a", "b", "c"]
>>> L[0] = L
>>> print(L)
[[...], 'b', 'c']
>>> L[0] == L
True
```

The "... " is there so that the print function doesn't get stuck constructing an infinite output!

LIST



LIST



REFERENCES

- In *Downey*:
 - Conditionals and booleans are discussed in sections 5.1 - 5.7.

REVISION HISTORY

- 2020-09-04 Typo fix
- 2020-09-04 Initial publication

