# LECTURE 29

#### RECURSION

MCS 260 Fall 2021 Emily Dumas

#### REMINDERS

- Work on Project 3 ASAP. Do not delay!
- Project 3 autograder opens by Monday.
- Homework 10 posted; due Tuesday at 10am.

#### **OOP LOOSE END: PROTOCOLS**

We implemented the sequence protocol last time. There are others.

- Iterator creates an iterable
- Mapping creates a dict-like type

Still more can be found in the collections.abc module, which contains classes you can subclass when implementing the protocols.

# RECURSION

A function in Python can call *itself*. This can be useful, for example if the result of the function at one argument is easy to obtain from the result at another argument.

This technique is called **recursion**. A function which uses it is a **recursive function**.

#### FACTORIAL

The classic example of recursion (being easiest to understand) is the computation of factorials:

$$n! = n imes (n-1) imes (n-2) imes \cdots 2 imes 1$$

e.g. 5! =  $5 \times 4 \times 3 \times 2 \times 1 = 120$ 

Critical observation: n! = n imes (n-1)!

#### **RECURSIVE FACTORIAL**

Let's build a function fact (n) that uses  $n! = n \times (n-1)!$  as the basis of its operation.

#### CALL STACK

Python keeps track of all the function calls that are underway in a stack. Items on the stack indicate where the call originated.

Calling a function *pushes* an item on the stack.

Returning pops an item form the stack.

There is a maximum allowed stack size. Exceeding it is a **stack overflow**.

#### If push is list.append and pop is list.pop:

call\_stack == [
 ]

If push is list.append and pop is list.pop:

call\_stack == [
 Called fact(3) on line 30
]

#### If push is list.append and pop is list.pop:

```
call_stack == [
    Called fact(3) on line 30,
    Called fact(2) on line 18
]
```

#### If push is list.append and pop is list.pop:

call_stack =	== [				
	Called	fact(3)	on	line	30,
	Called	fact(2)	on	line	18,
	Called	fact(1)	on	line	18
]					

#### If push is list.append and pop is list.pop:

call_stack == [					
Called	fact(3)	on line	30,		
Called	fact(2)	on line	18,		
Called	fact(1)	on line	18 #	returns	1
]					

#### If push is list.append and pop is list.pop:

```
call_stack == [
    Called fact(3) on line 30,
    Called fact(2) on line 18
]
```

#### If push is list.append and pop is list.pop:

```
call_stack == [
    Called fact(3) on line 30,
    Called fact(2) on line 18 # returns 2
]
```

If push is list.append and pop is list.pop:

call\_stack == [
 Called fact(3) on line 30
]

#### If push is list.append and pop is list.pop:

call\_stack == [
 Called fact(3) on line 30 # returns 6
]

#### If push is list.append and pop is list.pop:

call\_stack == [
 ]

#### **RECURSIVE LISTDIR**

How can we make a function rlistdir (path) that will return a list of the contents of a directory and all of its subdirectories?

Python actually has multiple functions in the standard library that can do this, though we haven't discussed them. The point is to construct a solution using the things we've covered!

# **RECURSION PROS AND CONS**

Often can solve a problem with recursion or with loops (an **iterative** solution). Why use recursion?

Pros: Unclear: Cons:

Short codeClear code

• Speed

- Uses more
  - memory

#### REFERENCES

- In Downey:
  - Sections 5.8 to 5.10 discuss recursion

#### ACKNOWLEDGEMENTS

• Some of today's lecture was based on teaching materials developed for MCS 260 by Jan Verschelde.

#### **REVISION HISTORY**

• 2021-10-29 Initial publication