LECTURE 33 HTML AND CSS

MCS 275 Spring 2022 Emily Dumas

LECTURE 33: HTML AND CSS

Course bulletins:

- Project 3 final scores and feedback available.
- Project 4 to be posted on Wednesday.
- Worksheet 12 is about SQL; must watch lectures 30, 32 to prepare

PREP FOR SQL LAB

Install the SQLite command line shell to prepare for this week's lab.

- Linux, MacOS: You already have it
- Windows users: Check this instruction video and/or written instructions from Worksheet 12

The lab will also involve using SQLite from within Python programs.

NEW UNIT

- We're starting a unit on programming for the web, leading up to building web applications in Python.
- Why?
- Major Python application domain
- Lets us develop a complex example program over a series of lectures

CORE WEB TECHNOLOGIES

HTML - Hypertext Markup Language. Web page content language.

- **CSS** Cascading Style Sheets. Web page style language. (margins, fonts, colors, ...)
- **JS** JavaScript. The language that runs in the browser to provide complex interactivity on web sites.
- **HTTP** Hypertext Transfer Protocol. The network protocol used to send all of the above from a server to the browser (client).
- **URL** Uniform Resource Locator. A string that describes where a resource (e.g. web page) is, and how to get it (e.g. HTTP).
- Opening **developer tools** in your browser with Ctrl-Shift-i will let you explore most of these for live pages.

HTML

- First developed in 1993 by physicist Tim Berners-Lee.
- Uses plain text with **tags** to indicate the structure of a document (and to add links, images, other resources).
- Many versions of HTML exist, but the modern and most widely-used one is called HTML5.

HTML EXAMPLE

```
<!doctype html>
<html>
<head>
<title>Document title as seen in browser tab</title>
</head>
<body>
Content you'll see in the browser window.
</body>
</html>
```

Indenting is optional. Note how start tags and end tags (like <tagname> and </tagname>) function like parentheses, surrounding the text they apply to.

A FEW USEFUL TAGS

pparagraphulunordered (bullet) listolordered (numbered) listliitem in a liststrongimportant text to be emphasized

A FEW USEFUL TAGS

h1, h2, ..., headings for document, section,h6 subsection, etc.

div Component (division) of a document

a link to another resource

img image (no end tag)

The a and img tags require attributes to be useful. These are key=value pairs in the start tag, e.g.

See the example.com web site

My kitten, Mr. Mittens:

CSS

HTML is for a document's **content**, with logical parts indicated by tags.

CSS is a related language for specifying **presentation** or **style** (spacing, color, typeface, etc.)

CSS EXAMPLE

```
body {
    font-family: sans-serif;
    background: #C0C0C0;
    max-width: 45rem;
    padding: 2rem;
    margin: auto;
}
a
    color: #000050;
    text-decoration: none;
a:hover {
    text-decoration: underline;
```

One way to apply it to a HTML document is to place the CSS code within a style tag in the header.

JSFIDDLE

jsfiddle is a convenient online tool for experimenting with HTML and CSS.

EXTERNAL STYLESHEET

Place inside the <head> of your HTML document:

<link rel="stylesheet" href="style.css">

Putting content and style in separate files is a good idea! Often, many HTML documents use the same CSS.

REFERENCES

- HTML tutorial from W3Schools (all in-browser)
- A Guide to HTML5 and CSS3 no-cost PDF ebook from 2014 that is good for self-study; must enter an email address to download
- jsfiddle
- Countless web design books in the O'Reilly technical library (free to anyone with a UIC email address).

REVISION HISTORY

• 2022-04-04 Initial publication