LECTURE 16 TREES

MCS 275 Spring 2023 Emily Dumas

RECENTLY

We've talked about some recursive algorithms

NEXT

Recursive **data structures**!

GRAPHS

In mathematics, a graph is a collection of **nodes** (or vertices) and **edges** (which join pairs of nodes).



CONNECTIVITY

A graph is **connected** if every pair of nodes can be joined by at least one path.



CONNECTIVITY

A graph is **connected** if every pair of nodes can be joined by at least one path.





















Equivalently, a tree is a **connected graph** with **no loops**.



Equivalently, a tree is a connected graph that becomes disconnected if any edge is removed.

(Exercise: Prove this is an equivalent definition!)

- The random mazes produced by
- maze.PrimRandomMaze(...) can be seen as
- trees, with the nodes being the open squares and edges between nodes if the corresponding squares share an edge.









ROOTS AND DIRECTIONS

The trees considered in CS usually have one node distinguished, called the **root**.



There's nothing special about the root except that it is labeled as such. Any node of a tree could be chosen to be its root node.

Such rooted trees are usually drawn with the root at top



and vertices farther from the root successively lower.

Such diagrams look like trees in the natural world.



THAT MAZE AGAIN



THAT MAZE AGAIN



Choosing a root lets us orient all of the edges so they point away from it.



Hence the usual way of drawing a tree will have these arrows pointing downward.

Each node (except the root) has an incoming edge, from its **parent** (closer to the root).



Each node may have one or more outgoing edges, to its **children** (farther from the root).

BINARY TREES

In CS, a binary tree is a (rooted) tree in which every node has ≤ 2 children, labeled "left" and "right".



Horizontal relative position is used to indicate this labeling, rather than explicitly writing it on the edges.

BINARY TREES

In CS, a binary tree is a (rooted) tree in which every node has ≤ 2 children, labeled "left" and "right".



Horizontal relative position is used to indicate this labeling, rather than explicitly writing it on the edges.

How can we store a tree in Python?



How can we store a tree in Python?



How can we store a tree in Python?



How can we store a tree in Python?



WHY?

- We can also store additional information in the nodes of a binary tree. If present, this is called the **key** or value or cargo of a node.
- This turns out to be a very efficient data structure for many purposes. A lot of data can be accessed in a few steps from the root node.

BINARY SEARCH TREE

Stores numbers or other objects allowing comparison as node values. Enforce the rule: Anything in the subtree to the left is smaller or equal. Anything in the subtree to the right is greater.





















REFERENCES

- In optional course texts:
 - Problem Solving with Algorithms and Data Structures using Python by Miller and Ranum, discusses binary trees in Chapter 7.
- Elsewhere:
 - Cormen, Leiserson, Rivest, and Stein discusses graph theory and trees in Appendices
 B.4 and B.5, and binary search trees in Chapter 12.

REVISION HISTORY

- 2022-02-23 Last year's lecture on this topic finalized
- 2023-02-16 Updated for 2023