

# LECTURE 21

## PILLOW

MCS 275 Spring 2023

David Dumas

# LECTURE 21: PILLOW

Reminders and announcements:

- Homework 8 posted.
- Coming soon:
  - Project 3 description (ETA: tonight)
  - Project 2 grades (ETA: Monday)

# INSTALL PILLOW

It is a package you can install with `pip`.

```
python3 -m pip install pillow
```

Or check the [official install instructions](#).

# PILLOW AND PIL

Pillow is the name of the package (what you ask `pip` to install).

The module you import to use it is called `PIL`.

The name difference is for historical reasons.

Pillow offers a drop-in replacement for a different module called `PIL`, "Python Imaging Module", that was abandoned in 2011.

# IMAGES

There are two basic types of image files you will encounter: **vector images** and **bitmap images**.

# VECTOR IMAGES

Store instructions about what to draw (a circle here, a line there, etc.); can be viewed at any size without loss of sharpness.

- e.g. PDF, SVG, PS, EPS, DXF
- Also TTF, OTF, WOFF fonts
- Good for drawings, diagrams, text

Displaying a vector image is a complicated operation!  
(PS, PDF are full programming languages with recursion, iteration, etc.)

# BITMAP IMAGES

A rectangular grid of colors, meant to be displayed with each color corresponding to one pixel on the display device; becomes blurry or blocky if you zoom in.

- e.g. PNG, JPEG, GIF, BMP, TIFF
- Good for photos, screenshots

# JPEG (ASIDE)

JPEG is for photos. That's what the P stands for.

JPEG compresses the image data, discarding some of it. Images with sharp edges will look bad as a result.

Use PNG for anything other than photos, unless it is essential to have a small file size.

JPEG is an amazing application of the Fourier transform, and I think everyone should learn a bit about it. I used all the self-control I could muster to say no more about it here.



# PILLOW IS FOR BITMAPS

Pillow is for working with bitmap images. It can read and write PNG, JPEG, GIF, BMP, TIFF, and more.

It is useful for format conversion, low-level image operations (e.g. make this pixel red), and provides some high-level operations too (e.g. blur, sharpen, convert to grayscale, ...).

# LOAD, SAVE, CREATE

PIL . Image is a class that represents bitmap images.

```
from PIL import Image # just import PIL is not enough!  
  
img = Image.open("adorable_kitten.png") # load  
img.save("discord_avatar.jpg") # save  
  
# new color image, 1920x1080 resolution, all red  
img = Image.new("RGB", (1920, 1080), color=(255, 0, 0))
```

# MODES

An image file can store various amounts and types of color data. Pillow encodes this in a **mode** string:

- "1" - 1 bit per pixel, 0=black, 1=white
- "L" - 8 bits per pixel, 256 shades of gray. 0=black, 255=white. Also called "grayscale".
- "RGB" - 24 bits per pixel, 8 each for red, green, blue. Also called "true color". Most common.

These are common modes, but there are **lots more**.

Some images also have transparency information (A or "alpha" channel).

# PIXEL COORDINATES

A location in a bitmap image is specified by a pair of integers  $(x, y)$ . The upper left corner is  $(0, 0)$ . Coordinate  $x$  increases as you move right, and  $y$  increases as you move down.

Note the  $y$  direction is opposite from mathematics.

# WORKING WITH PIXELS

Suppose `img` is a `PIL . Image` object.

Set a pixel color (draw a tiny dot):

```
# make pixel at (10,20) magenta  
img.putpixel( (10,20), (255,0,255) )
```

Get a pixel color:

```
# returns color of pixel at (10,20)  
img.getpixel( (10,20) )
```

# OPERATIONS

Some other methods of PIL . Image:

- `convert` - Conversion to a different mode, e.g. from true color to grayscale.
- `crop` - Crop (remove all but a smaller rectangle).
- `resize` - Stretch or compress to a new size.
- `paste` - Draw another image on this one.
- `transpose` - Do any combination of mirroring and rotating by multiples of 90 degrees.

[Lots more](#) in the documentation.

# ANIMATED GIF

If you have PIL image objects `frame0`, `frame1`, `frame2`, etc.

```
frame0.save(  
    "anim.gif",  
    save_all=True,  
    append_images=[frame1, frame2, ...],  
    duration=50,  
    loop=0  
)
```

`duration` is milliseconds per frame

`loop=0` means loop forever (`loop=5` means play 5 times and stop)

# OTHER OPTIONS

There are many Python image processing libraries, and for a particular purpose it may be best to use something other than Pillow. Examples:

- [OpenCV](#) is targeted at computer vision and machine learning applications (e.g. face detection)
- [Scikit-image](#) aims to be high-performance and to support video files. It uses numpy arrays extensively.



# STRENGTHS

GUI image editing tools are good for making modifications to an image that require planning, decisions, review, revision, etc.

PIL and other programmatic image manipulation libraries are great for batch operations and cases where the input or output of a program is naturally an image.

# REFERENCES

- [Pillow home page](#)
- [Pillow tutorial](#)
- [Pillow API reference](#)

# REVISION HISTORY

- 2022-03-07 Last year's lecture on this topic finalized
- 2023-03-03 Updated for 2023

