

LECTURE 29

HTML AND CSS

MCS 275 Spring 2023

David Dumas

LECTURE 29: HTML AND CSS

Reminders and announcements:

- Homework 11 coming later today.
- More DB example code coming to the repository this weekend.

PREP FOR SQL LAB

Install the SQLite command line shell to prepare for this week's lab.

- Linux, MacOS: You already have it
- Windows users: Check this [instruction video](#) and/or [written instructions](#).

The lab will also involve using SQLite from within Python programs.

NEW UNIT

We're starting a unit on programming for the web, leading up to building web applications in Python.

Why?

- Major Python application domain
- Lets us develop a complex example program over a series of lectures

CORE WEB TECHNOLOGIES

HTML - Hypertext Markup Language. Web page content language.

CSS - Cascading Style Sheets. Web page style language. (margins, fonts, colors, ...)

JS - JavaScript. The language that runs in the browser to provide complex interactivity on web sites.

HTTP - Hypertext Transfer Protocol. The network protocol typically used to send all of the above from a server to the browser (client).

Opening **developer tools** in your browser with Ctrl-Shift-i will let you explore most of these for live pages.

HTML

First developed in 1993 by physicist Tim Berners-Lee.

Uses plain text with **tags** to indicate the structure of a document (and to add links, images, other resources).

Many versions of HTML exist, but the modern and most widely-used one is called HTML5.

HTML EXAMPLE

```
<!doctype html>
<html>
  <head>
    <title>Document title as seen in browser tab</title>
  </head>
  <body>
    Content you'll see in the browser window.
  </body>
</html>
```

Indenting is optional. Note how start tags and end tags (like `<tagname>` and `</tagname>`) function like parentheses, surrounding the text they apply to.

A FEW USEFUL TAGS

p paragraph

ul unordered (bullet) list

ol ordered (numbered) list

li item in a list

strong important text to be emphasized

A FEW USEFUL TAGS

h1, h2, ...,
h6 headings for document, section,
 subsection, etc.

div Component (division) of a document

a link to another resource

img image (no end tag)

LOCATIONS

URL - Uniform Resource Locator. A string that describes where a resource (e.g. web page) is, and how to get it (e.g. HTTP).

The `a` and `img` tags require a URL to be specified in an **attribute**. Attributes are key=value pairs in the start tag, e.g.

```
See the <a href="http://example.com/">example.com web site</a>.
```

```
My kitten, Mr. Mittens: 
```

CSS

HTML is for a document's **content**, with logical parts indicated by tags.

CSS is a related language for specifying **presentation** or **style** (spacing, color, typeface, etc.)

CSS EXAMPLE

```
body {  
  font-family: sans-serif;  
  background: #C0C0C0;  
  max-width: 45rem;  
  padding: 2rem;  
  margin: auto;  
}  
  
a {  
  color: #000050;  
  text-decoration: none;  
}  
  
a:hover {  
  text-decoration: underline;  
}
```

One way to apply it to a HTML document is to place the CSS code within a `style` tag in the header.

JSFIDDLE

[jsfiddle](#) is a convenient online tool for experimenting with HTML and CSS.

EXTERNAL STYLESHEET

Place inside the `<head>` of your HTML document:

```
<link rel="stylesheet" href="style.css">
```

Putting content and style in separate files is a good idea! Often, many HTML documents use the same CSS.

MARKDOWN

The *markdown* language used to format notebook text cells is actually just a shorthand for writing certain HTML.

The Python package `Markdown` can be installed to get a markdown-to-HTML converter.

REFERENCES

- [HTML tutorial from W3Schools](#) (all in-browser)
- [jsfiddle](#)
- Countless web design books in the O'Reilly technical library (free to anyone with a UIC email address).

REVISION HISTORY

- 2022-04-04 Last year's lecture on this topic finalized
- 2023-03-31 Updated for 2023

